

**Table 2.25A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	157,518	161,028	78,162	78,627	65,489	66,476
<b>AGE</b>						
12-17	8,872	8,741	5,673	5,540	3,641	3,561
18-25	20,910	21,692	15,117	15,647	12,424	12,951
26 or Older	127,735	130,594	57,372	57,440	49,424	49,964
<b>GENDER</b>						
Male	84,473	85,717	45,251	45,661	37,738	38,657
Female	73,045	75,311	32,911	32,966	27,750	27,819
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	144,031	147,067	71,324	71,581	60,197	60,828
White Only	123,304	125,328	60,138	60,357	50,493	51,316
Black Only	15,179	15,669	7,846	8,271	6,791	7,076
American Indian or Alaska Native Only	876	909	649	575	600	522
Native Hawaiian or Other Pacific Islander	*	381	*	224	*	187
Asian Only	3,103	3,398	1,614	1,401	1,368	1,079
More Than One Race	1,241	1,382	835	753	724	649
Hispanic	13,487	13,961	6,838	7,045	5,291	5,648

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.25B Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	70.5	71.4	35.0	34.8	29.3	29.5
<b>AGE</b>						
12-17	38.0	37.0	24.3	23.5	15.6	15.1
18-25	72.1 <sup>a</sup>	73.6	52.2	53.1	42.9	43.9
26 or Older	74.7	75.7	33.6	33.3	28.9	29.0
<b>GENDER</b>						
Male	78.7	79.0	42.2	42.1	35.2	35.6
Female	63.0 <sup>a</sup>	64.3	28.4	28.2	23.9	23.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	72.2 <sup>a</sup>	73.2	35.8	35.6	30.2	30.3
White Only	75.7	76.5	36.9	36.8	31.0	31.3
Black Only	59.8	61.4	30.9	32.4	26.7	27.7
American Indian or Alaska Native Only	80.3	78.2	59.4	49.5	55.0	44.9
Native Hawaiian or Other Pacific Islander	*	58.1	*	34.2	*	28.5
Asian Only	40.7	42.8	21.2	17.6	17.9	13.6
More Than One Race	66.7	72.6	44.9	39.6	38.9	34.1
Hispanic	56.6	56.6	28.7	28.6	22.2	22.9

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.26A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	8,872	8,741	5,673	5,540	3,641	3,561
<b>GENDER</b>						
Male	4,737	4,625	3,024	2,950	1,949	1,905
Female	4,135	4,116	2,650	2,590	1,691	1,656
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	7,772	7,596	4,992	4,858	3,264	3,184
White Only	6,404	6,154	4,238	4,078	2,830	2,725
Black Only	930	946	475	483	254	258
American Indian or Alaska Native Only	*	114	60	77	45	57
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	202	203	126	104	77	67
More Than One Race	134	162	84	104	53	68
Hispanic	1,100	1,145	682	681	376	377
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male - White	3,410	3,263	2,252	2,180	1,505	1,440
Female - White	2,994	2,891	1,986	1,898	1,325	1,286
Male - Black	510	499	281	234	155	142
Female - Black	420	447	194 <sup>a</sup>	249	99	115
Male - Hispanic	603	632	369	376	209	214
Female - Hispanic	497	513	312	306	167	164

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.26B Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	38.0	37.0	24.3	23.5	15.6	15.1
<b>GENDER</b>						
Male	39.6	38.3	25.3	24.4	16.3	15.8
Female	36.2	35.7	23.2	22.5	14.8	14.4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	38.8	37.6	24.9	24.1	16.3	15.8
White Only	41.8 <sup>a</sup>	40.1	27.7	26.6	18.5	17.8
Black Only	27.8	28.1	14.2	14.3	7.6	7.6
American Indian or Alaska Native Only	*	65.0	41.8	43.7	31.3	32.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	24.2	24.2	15.0	12.4	9.3	8.0
More Than One Race	36.8	41.1	23.1	26.5	14.5	17.2
Hispanic	33.2	33.5	20.6	19.9	11.4	11.0
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male - White	43.4	41.5	28.7	27.7	19.2	18.3
Female - White	40.2	38.6	26.6	25.4	17.8	17.2
Male - Black	29.9	29.1	16.5	13.7	9.1	8.3
Female - Black	25.7	27.0	11.9 <sup>a</sup>	15.1	6.1	7.0
Male - Hispanic	35.1	35.9	21.5	21.4	12.2	12.1
Female - Hispanic	31.2	30.8	19.6	18.4	10.5	9.8

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.27A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	20,910	21,692	15,117	15,647	12,424	12,951
<b>GENDER</b>						
Male	11,195	11,502	8,612	8,863	7,171	7,468
Female	9,715	10,190	6,504	6,784	5,253	5,483
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	18,291	18,845	13,475	13,809	11,207	11,495
White Only	15,176	15,423	11,336	11,556	9,439	9,681
Black Only	2,192	2,342	1,470	1,472	1,219	1,180
American Indian or Alaska Native Only	150	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	453 <sup>a</sup>	590	300 <sup>a</sup>	403	231 <sup>a</sup>	312
More Than One Race	248	277	196	213	174	175
Hispanic	2,619	2,847	1,642	1,837	1,217 <sup>b</sup>	1,457
<b>ADULT EDUCATION</b>						
< High School	4,447	4,342	3,475	3,444	2,998	3,016
High School Graduate	7,526	7,693	5,565	5,736	4,744	4,808
Some College	6,497 <sup>a</sup>	6,977	4,597	4,858	3,626	3,901
College Graduate	2,440	2,680	1,479	1,609	1,056 <sup>a</sup>	1,226
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	11,587	11,610	8,512	8,387	7,108	7,040
Part-Time	4,606 <sup>a</sup>	5,006	3,259 <sup>a</sup>	3,577	2,553 <sup>b</sup>	2,918
Unemployed	1,057 <sup>b</sup>	1,373	886 <sup>b</sup>	1,087	786 <sup>a</sup>	932
Other <sup>2</sup>	3,661	3,703	2,460	2,595	1,977	2,060

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.27B Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	72.1 <sup>a</sup>	73.6	52.2	53.1	42.9	43.9
<b>GENDER</b>						
Male	77.7	78.5	59.8	60.5	49.8	51.0
Female	66.7 <sup>a</sup>	68.7	44.6	45.7	36.0	36.9
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	74.2	75.3	54.7	55.2	45.5	45.9
White Only	79.3	79.6	59.2	59.6	49.3	49.9
Black Only	55.9 <sup>a</sup>	59.6	37.5	37.5	31.1	30.0
American Indian or Alaska Native Only	84.9	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	45.2 <sup>a</sup>	54.2	29.9 <sup>a</sup>	37.0	23.0	28.6
More Than One Race	82.4	80.6	64.9	62.0	57.6	51.0
Hispanic	60.4	63.7	37.9	41.1	28.1 <sup>b</sup>	32.6
<b>ADULT EDUCATION</b>						
< High School	72.8	74.0	56.9	58.7	49.1	51.4
High School Graduate	72.4	73.3	53.5	54.6	45.6	45.8
Some College	71.7	73.3	50.7	51.0	40.0	41.0
College Graduate	71.4	74.5	43.3	44.8	30.9	34.1
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	76.3 <sup>a</sup>	77.9	56.0	56.3	46.8	47.2
Part-Time	69.4	70.5	49.1	50.4	38.5 <sup>a</sup>	41.1
Unemployed	77.7	75.9	65.2	60.1	57.8 <sup>a</sup>	51.5
Other <sup>2</sup>	63.2	65.3	42.5 <sup>a</sup>	45.8	34.1	36.3

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.28A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	127,735	130,594	57,372	57,440	49,424	49,964
<b>GENDER</b>						
Male	68,541	69,590	33,615	33,848	28,618	29,284
Female	59,194	61,005	23,757	23,592	20,806	20,681
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	117,968	120,626	52,858	52,913	45,726	46,150
White Only	101,725	103,751	44,564	44,724	38,224	38,909
Black Only	12,057	12,381	5,901	6,315	5,318	5,639
American Indian or Alaska Native Only	*	656	470	390	453	367
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	2,448	2,605	1,188	894	1,059 <sup>a</sup>	700
More Than One Race	859	943	555	436	498	406
Hispanic	9,768	9,969	4,515	4,526	3,698	3,814
<b>ADULT EDUCATION</b>						
< High School	20,589	19,932	11,079	10,978	10,113	10,047
High School Graduate	42,390	41,677	21,095	20,832	19,181	18,918
Some College	30,501	32,289	13,804	13,852	11,961	12,093
College Graduate	34,256 <sup>a</sup>	36,696	11,395	11,778	8,169	8,906
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	78,383	78,766	38,944	37,956	33,023	32,682
Part-Time	12,293 <sup>a</sup>	13,476	4,699	4,843	4,137	4,277
Unemployed	2,044 <sup>a</sup>	2,644	1,384	1,622	1,255	1,471
Other <sup>2</sup>	35,015	35,708	12,345	13,019	11,010	11,533

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.28B Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	74.7	75.7	33.6	33.3	28.9	29.0
<b>GENDER</b>						
Male	84.6	85.0	41.5	41.4	35.3	35.8
Female	65.8	67.3	26.4	26.0	23.1	22.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	76.2 <sup>a</sup>	77.4	34.2	34.0	29.6	29.6
White Only	79.2	80.4	34.7	34.6	29.8	30.1
Black Only	66.5	68.0	32.5	34.7	29.3	31.0
American Indian or Alaska Native Only	*	80.5	61.0	47.9	58.9	45.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian Only	42.3	43.3	20.5	14.9	18.3 <sup>a</sup>	11.6
More Than One Race	71.9	80.9	46.4	37.4	41.7	34.9
Hispanic	60.3	59.4	27.9	27.0	22.8	22.7
<b>ADULT EDUCATION</b>						
< High School	70.4	69.8	37.9	38.4	34.6	35.2
High School Graduate	74.7	75.7	37.2	37.8	33.8	34.4
Some College	77.7	79.4	35.2	34.1	30.5	29.8
College Graduate	75.0	76.0	24.9	24.4	17.9	18.5
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	77.9	79.0	38.7	38.1	32.8	32.8
Part-Time	72.7	75.0	27.8	27.0	24.5	23.8
Unemployed	81.9 <sup>a</sup>	74.3	55.5 <sup>a</sup>	45.6	50.3 <sup>a</sup>	41.4
Other <sup>2</sup>	68.7	69.5	24.2	25.3	21.6	22.4

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.



**Table 2.29A Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	148,646	152,286	72,489	73,087	61,848	62,915
<b>GENDER</b>						
Male	79,736	81,092	42,228	42,711	35,789	36,752
Female	68,910	71,194	30,261	30,376	26,059	26,163
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	136,258	139,471	66,333	66,723	56,933	57,644
White Only	116,900	119,175	55,900	56,280	47,663	48,591
Black Only	14,250	14,723	7,371	7,788	6,537	6,819
American Indian or Alaska Native Only	787	795	588	498	555	464
Native Hawaiian or Other Pacific Islander	*	363	*	212	*	*
Asian Only	2,901	3,195	1,488	1,296	1,290	1,012
More Than One Race	1,108	1,220	751	649	671	581
Hispanic	12,387	12,816	6,156	6,364	4,915	5,271
<b>ADULT EDUCATION</b>						
< High School	25,036	24,274	14,554	14,422	13,111	13,064
High School Graduate	49,916	49,371	26,660	26,567	23,925	23,725
Some College	36,997 <sup>a</sup>	39,266	18,401	18,710	15,586	15,995
College Graduate	36,696 <sup>b</sup>	39,376	12,874	13,387	9,225 <sup>a</sup>	10,132
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	89,970	90,376	47,455	46,343	40,131	39,723
Part-Time	16,899 <sup>a</sup>	18,483	7,958	8,420	6,690	7,195
Unemployed	3,100 <sup>b</sup>	4,017	2,270 <sup>a</sup>	2,709	2,040	2,404
Other <sup>2</sup>	38,677	39,411	14,806	15,615	12,987	13,593

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 2.29B Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2000	2001	2000	2001	2000	2001
<b>TOTAL</b>	74.4 <sup>a</sup>	75.4	36.3	36.2	30.9	31.1
<b>GENDER</b>						
Male	83.6	84.0	44.3	44.3	37.5	38.1
Female	65.9 <sup>a</sup>	67.5	29.0	28.8	24.9	24.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic	76.0 <sup>a</sup>	77.1	37.0	36.9	31.7	31.9
White Only	79.2 <sup>a</sup>	80.3	37.9	37.9	32.3	32.7
Black Only	64.6	66.5	33.4	35.2	29.6	30.8
American Indian or Alaska Native Only	83.1	80.6	62.1	50.5	58.6	47.1
Native Hawaiian or Other Pacific Islander	*	60.7	*	35.5	*	*
Asian Only	42.8	45.0	21.9	18.2	19.0	14.2
More Than One Race	74.0	80.9	50.2	43.0	44.9	38.5
Hispanic	60.3	60.3	30.0	30.0	23.9	24.8
<b>ADULT EDUCATION</b>						
< High School	70.8	70.5	41.2	41.9	37.1	37.9
High School Graduate	74.4	75.3	39.7	40.5	35.6	36.2
Some College	76.6	78.3	38.1	37.3	32.3	31.9
College Graduate	74.7	75.9	26.2	25.8	18.8	19.5
<b>CURRENT EMPLOYMENT<sup>1</sup></b>						
Full-Time	77.7 <sup>a</sup>	78.9	41.0	40.5	34.7	34.7
Part-Time	71.7	73.7	33.8	33.6	28.4	28.7
Unemployed	80.5 <sup>a</sup>	74.9	58.9 <sup>b</sup>	50.5	52.9 <sup>b</sup>	44.8
Other <sup>2</sup>	68.2	69.1	26.1	27.4	22.9	23.8

\*Low precision; no estimate reported.

NOTE: Any tobacco product indicates use at least once of cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any tobacco use in the past year does not include use of pipe tobacco.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

<sup>2</sup> Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.